ECOLOGY LAB 5

Mohamed Sabbar

Atmospheric pressure as an Ecological Factor

• Atmospheric pressure, also called barometric pressure, force per unit area exerted by an atmospheric column. Atmospheric pressure can be measured with a mercury barometer. As elevation increases, there is less overlying atmospheric mass, so that atmospheric pressure decreases with increasing elevation. Pressure measures force per unit area, with SI units of **Pascal's**. On average, a column of air with a cross-sectional area of 1 square centimeter (cm²), measured from sea level to the top of Earth's atmosphere, has a mass of about 1.03 kilogram and exerts a force or "weight" of about **10.1 newton's**.



surface air pressure = weight of air in column above unit area

Atmospheric pressure as an Ecological Factor

An **atmosphere** (atm) is a unit of measurement equal to the average air pressure at sea level at a temperature of 15 degrees Celsius (59 degrees Fahrenheit). One atmosphere is 1,013 millibars, or 760 millimeters (29.92 inches) of mercury



Atmospheric pressure as an Ecological Factor

- •As the pressure decreases, the **amount of oxygen** available to breathe also decreases. At very high altitudes, atmospheric pressure and available oxygen get so low that people can become sick and even die.
- Atmospheric pressure is an indicator of weather. When a low-pressure system moves into an area, it usually leads to cloudiness, wind, and precipitation. Highpressure systems usually lead to fair, calm weather.



Atmospheric pressure measurement method & devices

- **1.** Water-based barometers
- 2. Mercury barometers
- 3. Aneroid barometers
- 4. Barographs







